

SHINE

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

Tebuconazole 10% + Sulphur 65% WG (water dispersible granule) is a effective fungicide with protective, creative and eradication action. It controls powdery mildew, fruit rot diseases of chilli and leaf spot, pod blight disease of Soyabean.

Recommendation:

Crop(s)	Common Name of Pest	Dosage/Ha	Dilution in Water (Litres)	Waiting Period between last spray to harvest (Day)
		AI (Kg)		
Chilli	Powdery mildew and Fruit rot	937.50 (125+ 812.5)	1250	5 -
Soyabean	Leafspot and pod blight	937.50 (125+ 812.5)	1250	26 -

Direction of Use :

Time of application : Tebuconazole 10% + Sulphur 65% WG is applied with knapsack sprayer at early appearance of disease.

Precautions : 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. 7. Do not re-use empty containers. 8. Wash thoroughly the contaminated clothes & parts of the body with soap and water after work.

Symptoms Of Poisoning: Headache, dizziness, weakness, nausea, sore throat, chest pain, lightheadedness, sneezing, coughing and may cause irritation to skin mucous membranes.

First Aid: If splashed into eyes, wash with plenty of water. Remove contaminated clothing and wash effected parts with soap and water. If the chemical is inhaled, get the victim into fresh air. Apply artificial respiration in case of difficult to breathing. Do not give anything by mouth to unconscious persons. If person is conscious rinse the face with water. Do not induce vomiting. Allow the patient to consume 1-2 glass of water. Call the physician immediately.

Antidote: No specific antidote is known. Treat symptomatically

Disposal Of Used Container : 1. Packages or surplus material and washings shall be disposed of in a safe manner so as to prevent environmental and water pollution. 2. The packages shall not be kept outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The packages containing fungicide shall be stored in separate room or premises, away from the rooms or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the nature and quantity of the fungicide. 2. The store rooms or premises meant for storing fungicide shall be weebuilt, dry, well-lit and ventilated and of sufficient dimensions. The condition of the store should be dry & cool.

Chemical Composition :

Tubeconazole.i.	10.00% w/w
Sulphur.a.i.	65.00% w/w
Potassium Polycarboxylate	2.50% w/w
Phenol sulfonic acid phenol formaldehyde	5.00% w/w
urea condensate, Na Salt	
Carboxy methyl cellulose	1.15% w/w
Sodium lignosulfonate	5.50% w/w
Polydimethyl Siloxane	0.50% w/w
China Clay	Q.S. w/w
Total	100.00% w/w

Caution : Not to be used on crops other than specified on this label/leaflet.

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

Tebuconazole 10% + Sulphur 65% WG (water dispersible granule) is a effective fungicide with protective, creative and eradication action. It controls powdery mildew, fruit rot diseases of chilli and leaf spot, pod blight disease of Soyabean.

Recommendation:

Crop(s)	Common Name of Pest	Dosage/Ha	Dilution in Water (Litres)	Waiting Period between last spray to harvest (Day)
		AI (Kg)		
Chilli	Powdery mildew and Fruit rot	937.50 (125+ 812.5)	1250	5 -
Soyabean	Leafspot and pod blight	937.50 (125+ 812.5)	1250	26 -

Direction of Use :

Time of application : Tebuconazole 10% + Sulphur 65% WG is applied with knapsack sprayer at early appearance of disease.

Precautions : 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. 7. Do not re-use empty containers. 8. Wash thoroughly the contaminated clothes & parts of the body with soap and water after work.

Symptoms Of Poisoning: Headache, dizziness, weakness, nausea, sore throat, chest pain, lightheadedness, sneezing, coughing and may cause irritation to skin mucous membranes.

First Aid: If splashed into eyes, wash with plenty of water. Remove contaminated clothing and wash effected parts with soap and water. If the chemical is inhaled, get the victim into fresh air. Apply artificial respiration in case of difficult to breathing. Do not give anything by mouth to unconscious persons. If person is conscious rinse the face with water. Do not induce vomiting. Allow the patient to consume 1-2 glass of water. Call the physician immediately.

Antidote: No specific antidote is known. Treat symptomatically

Disposal Of Used Container : 1. Packages or surplus material and washings shall be disposed of in a safe manner so as to prevent environmental and water pollution. 2. The packages shall not be kept outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The packages containing fungicide shall be stored in separate room or premises, away from the rooms or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the nature and quantity of the fungicide. 2. The store rooms or premises meant for storing fungicide shall be weebuilt, dry, well-lit and ventilated and of sufficient dimensions. The condition of the store should be dry & cool.

Chemical Composition :

Tubeconazole.i.	10.00% w/w
Sulphur.a.i.	65.00% w/w
Potassium Polycarboxylate	2.50% w/w
Phenol sulfonic acid phenol formaldehyde	5.00% w/w
urea condensate, Na Salt	
Carboxy methyl cellulose	1.15% w/w
Sodium lignosulfonate	5.50% w/w
Polydimethyl Siloxane	0.50% w/w
China Clay	Q.S. w/w
Total	100.00% w/w

Caution : Not to be used on crops other than specified on this label/leaflet.

શૈન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

Tebuconazole 10% + Sulphur 65% WG (water dispersible granule) is a effective fungicide with protective, creative and eradication action. It controls powdery mildew, fruit rot diseases of chilli and leaf spot, pod blight disease of Soyabean.

Recommendation:

Crop(s)	Common Name of Pest	Dosage/Ha	Dilution in Water (Litres)	Waiting Period between last spray to harvest (Day)
		AI (Kg)		
Chilli	Powdery mildew and Fruit rot	937.50 (125+ 812.5)	1250	5 -
Soyabean	Leafspot and pod blight	937.50 (125+ 812.5)	1250	26 -

Direction of Use :

Time of application : Tebuconazole 10% + Sulphur 65% WG is applied with knapsack sprayer at early appearance of disease.

Precautions : 1. Keep away from foodstuffs, empty foodstuff containers and animals food. 2. Avoid contact with mouth eyes and skin. 3. Avoid inhalation the spray mist. Spray in the direction of wind. 4. Wash thoroughly the contaminated clothes and parts of the body after spraying. 5. Do not smoke, drink, eat and chew anything while spraying. 6. Wear full protective clothing while mixing and spraying. 7. Do not re-use empty containers. 8. Wash thoroughly the contaminated clothes & parts of the body with soap and water after work.

Symptoms Of Poisoning: Headache, dizziness, weakness, nausea, sore throat, chest pain, lightheadedness, sneezing, coughing and may cause irritation to skin mucous membranes.

First Aid: If splashed into eyes, wash with plenty of water. Remove contaminated clothing and wash effected parts with soap and water. If the chemical is inhaled, get the victim into fresh air. Apply artificial respiration in case of difficult to breathing. Do not give anything by mouth to unconscious persons. If person is conscious rinse the face with water. Do not induce vomiting. Allow the patient to consume 1-2 glass of water. Call the physician immediately.

Antidote: No specific antidote is known. Treat symptomatically

Disposal Of Used Container : 1. Packages or surplus material and washings shall be disposed of in a safe manner so as to prevent environmental and water pollution. 2. The packages shall not be kept outside to prevent their re-use. 3. Packages shall be broken and buried away from habitation.

Storage Conditions: 1. The packages containing fungicide shall be stored in separate room or premises, away from the rooms or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the nature and quantity of the fungicide. 2. The store rooms or premises meant for storing fungicide shall be weebuilt, dry, well-lit and ventilated and of sufficient dimensions. The condition of the store should be dry & cool.

Chemical Composition :

Tubeconazole.i.	10.00% w/w
Sulphur.a.i.	65.00% w/w
Potassium Polycarboxylate	2.50% w/w
Phenol sulfonic acid phenol formaldehyde	5.00% w/w
urea condensate, Na Salt	
Carboxy methyl cellulose	1.15% w/w
Sodium lignosulfonate	5.50% w/w
Polydimethyl Siloxane	0.50% w/w
China Clay	Q.S. w/w
Total	100.00% w/w

Caution : Not to be used on crops other than specified on this label/leaflet.

SHINE

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શૈન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શૈન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

શાઇન

Tebuconazole 10% + Sulphur 65% WG (Systemic and Contact Fungicide)

