

**AALSAFE**

**Carbendazim 12% + Mancozeb 63% WP**  
(Systemic and Contact Fungicide)

**Caution :** "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

Carbendazim 12% + Mancozeb 63% WP is Very effective, protective and curative fungicide. It successfully controls Leaf spot & rust disease of groundnut and blast disease of paddy crop.

Recommendation :

Crop(s)	Common Name of Diseases	Dosage/Lit Formulation (gm)	Dilution in Lit (lit)	Waiting Period between last spray (in days)
Ground Nut	Leaf spot & Rust	375	500	72
Paddy	Blast	503	750	57

**Time of Application :**  
The product should be sprayed immediately on appearance of diseases symptoms. As per recommendation mix the product and apply it in evening light dosage and spray by the hand operated sprayer/1/2 Knapsack sprayer. Use 500-1000 litres water per hectare. Before spraying the pesticide, its suspension should be mixed well with a wooden stick.

- Precautions :**
- Keep away from foodstuffs, empty foodstuff containers and animals food.
  - Avoid contact with mouth, eyes and skin.
  - Avoid inhalation the spray mist. Spray in the direction of wind.
  - Wash thoroughly the contaminated clothes and parts of the body after spraying.
  - Do not smoke, drink, eat and chew anything while spraying.
  - Pregnant women should avoid contact with Carbendazim formulations.
  - The EC content should not be more than 0.5%
  - The product should be stored in cool and dry conditions.

**CAUTION FOR WORKERS/USERS :**  
While using fungicide workers/users must wear full protective clothing like long sleeved shirt, long pant, chemical resistant gloves, shoes, goggles, hat and mask.

**Phytotoxicity :**  
The product is not phytotoxic when used as per field recommendation.

**Symptoms of Poisoning :**  
Sweating, headache, lethargy, coughing, sneezing, itching, nausea, vomiting may occur.

**First Aid :**

- If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomits is clear. Do not induce vomiting if the patient is unconscious.
- If clothing and shoes are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
- If eyes are exposed, flush with plenty of clean water for 10 to 15 minutes.
- If inhaled, remove the patient to fresh air.

**Antidote :**  
No specific antidote is known. Treat symptomatically.

**Disposal of Used Containers :**  
Packages or surplus materials and washings from the machines and containers shall be disposed off in such a manner so as to prevent environmental or water pollution. The used packages should not be left outside to prevent their re-use. Packages should be buried away from habitation and source of water.

**Storage Conditions :**  
The package containing fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing articles or shall be kept in separate airtight bins under lock and key depending upon the quantity and nature of the fungicides.

2. The rooms or premises means for storing fungicides shall be well built, dry well- lit and ventilated and of sufficient dimension.

**Chemical Composition :**

Carbendazim Technical (Based on 98% W/W a.i)	12.25% W/W
Mancozeb Technical (Based on 85% W/W a.i)	74.12% W/W
Sodium Salt of alkyaryl sulfonate	2.00% W/W
Sodium salt of alkyl naphthyl sulfonate	2.00% W/W
Kaolin (Inert filler)	9.63% W/W
<b>Total :</b>	<b>100.00% W/W</b>

**ఆంధ్రసేక్స్**

**కార్బండిజిమ్ 12% + మాంకొజెబ్ 63% డ్యుప్లీ**  
(అంతర్జాతీయ మరయు స్వల్ప శీలించు) **WP**  
**Caution :** "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

Carbendazim 12% + Mancozeb 63% WP is Very effective, protective and curative fungicide. It successfully controls Leaf spot & rust disease of groundnut and blast disease of paddy crop.

Recommendation :

Crop(s)	Common Name of Diseases	Dosage/Lit Formulation (gm)	Dilution in Lit (lit)	Waiting Period between last spray (in days)
Ground Nut	Leaf spot & Rust	375	500	72
Paddy	Blast	503	750	57

**Time of Application :**  
The product should be sprayed immediately on appearance of diseases symptoms. As per recommendation mix the product and apply it in evening light dosage and spray by the hand operated sprayer/1/2 Knapsack sprayer. Use 500-1000 litres water per hectare. Before spraying the pesticide, its suspension should be mixed well with a wooden stick.

- Precautions :**
- Keep away from foodstuffs, empty foodstuff containers and animals food.
  - Avoid contact with mouth, eyes and skin.
  - Avoid inhalation the spray mist. Spray in the direction of wind.
  - Wash thoroughly the contaminated clothes and parts of the body after spraying.
  - Do not smoke, drink, eat and chew anything while spraying.
  - Pregnant women should avoid contact with Carbendazim formulations.
  - The EC content should not be more than 0.5%
  - The product should be stored in cool and dry conditions.

**CAUTION FOR WORKERS/USERS :**  
While using fungicide workers/users must wear full protective clothing like long sleeved shirt, long pant, chemical resistant gloves, shoes, goggles, hat and mask.

**Phytotoxicity :**  
The product is not phytotoxic when used as per field recommendation.

**Symptoms of Poisoning :**  
Sweating, headache, lethargy, coughing, sneezing, itching, nausea, vomiting may occur.

**First Aid :**

- If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomits is clear. Do not induce vomiting if the patient is unconscious.
- If clothing and shoes are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
- If eyes are exposed, flush with plenty of clean water for 10 to 15 minutes.
- If inhaled, remove the patient to fresh air.

**Antidote :**  
No specific antidote is known. Treat symptomatically.

**Disposal of Used Containers :**  
Packages or surplus materials and washings from the machines and containers shall be disposed off in such a manner so as to prevent environmental or water pollution. The used packages should not be left outside to prevent their re-use. Packages should be buried away from habitation and source of water.

2. The rooms or premises means for storing fungicides shall be well built, dry well- lit and ventilated and of sufficient dimension.

**Chemical Composition :**

Carbendazim Technical (Based on 98% W/W a.i)	12.25% W/W
Mancozeb Technical (Based on 85% W/W a.i)	74.12% W/W
Sodium Salt of alkyaryl sulfonate	2.00% W/W
Sodium salt of alkyl naphthyl sulfonate	2.00% W/W
Kaolin (Inert filler)	9.63% W/W
<b>Total :</b>	<b>100.00% W/W</b>

**ఆలసేక**

**కార్బండిజిమ్ 12% + మాంకొజెబ్ 63% భూనఖిల వూళ్లు**  
(అంతర్జాతీయ వూళ్లు వర్ణాధార ఫంక్షనలింగ్)

Carbendazim 12% + Mancozeb 63% WP is Very effective, protective and curative fungicide. It successfully controls Leaf spot & rust disease of groundnut and blast disease of paddy crop.

Recommendation :

Crop(s)	Common Name of Diseases	Dosage/Lit Formulation (gm)	Dilution in Lit (lit)	Waiting Period between last spray (in days)
Ground Nut	Leaf spot & Rust	375	500	72
Paddy	Blast	503	750	57

**Time of Application :**  
The product should be sprayed immediately on appearance of diseases symptoms. As per recommendation mix the product and apply it in evening light dosage and spray by the hand operated sprayer/1/2 Knapsack sprayer. Use 500-1000 litres water per hectare. Before spraying the pesticide, its suspension should be mixed well with a wooden stick.

- Precautions :**
- Keep away from foodstuffs, empty foodstuff containers and animals food.
  - Avoid contact with mouth, eyes and skin.
  - Avoid inhalation the spray mist. Spray in the direction of wind.
  - Wash thoroughly the contaminated clothes and parts of the body after spraying.
  - Do not smoke, drink, eat and chew anything while spraying.
  - Pregnant women should avoid contact with Carbendazim formulations.
  - The EC content should not be more than 0.5%
  - The product should be stored in cool and dry conditions.

**CAUTION FOR WORKERS/USERS :**  
While using fungicide workers/users must wear full protective clothing like long sleeved shirt, long pant, chemical resistant gloves, shoes, goggles, hat and mask.

**Phytotoxicity :**  
The product is not phytotoxic when used as per field recommendation.

**Symptoms of Poisoning :**  
Sweating, headache, lethargy, coughing, sneezing, itching, nausea, vomiting may occur.

**First Aid :**

- If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomits is clear. Do not induce vomiting if the patient is unconscious.
- If clothing and shoes are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
- If eyes are exposed, flush with plenty of clean water for 10 to 15 minutes.
- If inhaled, remove the patient to fresh air.

**Antidote :**  
No specific antidote is known. Treat symptomatically.

**Disposal of Used Containers :**  
Packages or surplus materials and washings from the machines and containers shall be disposed off in such a manner so as to prevent environmental or water pollution. The used packages should not be left outside to prevent their re-use. Packages should be buried away from habitation and source of water.

2. The rooms or premises means for storing fungicides shall be well built, dry well- lit and ventilated and of sufficient dimension.

**Chemical Composition :**

Carbendazim Technical (Based on 98% W/W a.i)	12.25% W/W
Mancozeb Technical (Based on 85% W/W a.i)	74.12% W/W
Sodium Salt of alkyaryl sulfonate	2.00% W/W
Sodium salt of alkyl naphthyl sulfonate	2.00% W/W
Kaolin (Inert filler)	9.63% W/W
<b>Total :</b>	<b>100.00% W/W</b>

**AGASTYA**

**Carbendazim 12% + Mancozeb 63% WP**  
(Systemic and Contact Fungicide)

**Caution :** "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

Carbendazim 12% + Mancozeb 63% WP is Very effective, protective and curative fungicide. It successfully controls Leaf spot & rust disease of groundnut and blast disease of paddy crop.

Recommendation :

Crop(s)	Common Name of Diseases	Dosage/Lit Formulation (gm)	Dilution in Lit (lit)	Waiting Period between last spray (in days)
Ground Nut	Leaf spot & Rust	375	500	72
Paddy	Blast	503	750	57

**Time of Application :**  
The product should be sprayed immediately on appearance of diseases symptoms. As per recommendation mix the product and apply it in evening light dosage and spray by the hand operated sprayer/1/2 Knapsack sprayer. Use 500-1000 litres water per hectare. Before spraying the pesticide, its suspension should be mixed well with a wooden stick.

- Precautions :**
- Keep away from foodstuffs, empty foodstuff containers and animals food.
  - Avoid contact with mouth, eyes and skin.
  - Avoid inhalation the spray mist. Spray in the direction of wind.
  - Wash thoroughly the contaminated clothes and parts of the body after spraying.
  - Do not smoke, drink, eat and chew anything while spraying.
  - Pregnant women should avoid contact with Carbendazim formulations.
  - The EC content should not be more than 0.5%
  - The product should be stored in cool and dry conditions.

**CAUTION FOR WORKERS/USERS :**  
While using fungicide workers/users must wear full protective clothing like long sleeved shirt, long pant, chemical resistant gloves, shoes, goggles, hat and mask.

**Phytotoxicity :**  
The product is not phytotoxic when used as per field recommendation.

**Symptoms of Poisoning :**  
Sweating, headache, lethargy, coughing, sneezing, itching, nausea, vomiting may occur.

**First Aid :**

- If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomits is clear. Do not induce vomiting if the patient is unconscious.
- If clothing and shoes are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
- If eyes are exposed, flush with plenty of clean water for 10 to 15 minutes.
- If inhaled, remove the patient to fresh air.

**Antidote :**  
No specific antidote is known. Treat symptomatically.

**Disposal of Used Containers :**  
Packages or surplus materials and washings from the machines and containers shall be disposed off in such a manner so as to prevent environmental or water pollution. The used packages should not be left outside to prevent their re-use. Packages should be buried away from habitation and source of water.

2. The rooms or premises means for storing fungicides shall be well built, dry well- lit and ventilated and of sufficient dimension.

**Chemical Composition :**

Carbendazim Technical (Based on 98% W/W a.i)	12.25% W/W
Mancozeb Technical (Based on 85% W/W a.i)	74.12% W/W
Sodium Salt of alkyaryl sulfonate	2.00% W/W
Sodium salt of alkyl naphthyl sulfonate	2.00% W/W
Kaolin (Inert filler)	9.63% W/W
<b>Total :</b>	<b>100.00% W/W</b>

