

FRESH

Carbendazim 46.27% SC

Systemic Fungicide

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet"

Carbendazim 46.27% SC is a suspension concentrate used for the control of Powdery mildew of grapes and mango.

Table with 4 columns: Recommendation, Common Name of Diseases, Dosages per hectare, Waiting Period

Grape Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Mango Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Direction of Use : Limitation :

Do not use in those situations where there is a possibility of harming fish and livestock. Do not contaminate lakes and ponds. Plant Protection Equipment: Knapsack sprayers fitted with flat fan nozzle is recommended.

Precaution:

1. Avoid halation and skin contact while delidding because of splashes or splashes. Do not mix with bare hands. 2. The users should use full protective clothing, which includes rubber gloves, boots, either face shield or dust mask and overall or rubber apron hood or hat.

First Aid : In case of suspected poisonings, call for a physician immediately. Induce vomiting, by tickling the back of throat. Repeat the operation inwardly vomit fluid is clear.

Antidote : There is no specific antidote. Give symptomatic treatment. Disposal of used container : 1. Do not leave used containers outside to prevent the re-use. 2. Destroy used containers and bury them away from habitation where there is not underground water course.

Storage Conditions : 1. The packages containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The rooms or premises meant for storing the fungicides shall be lit, well built, dry cool ventilated and of sufficient dimensions to avoid contamination with vapour.

- Chemical Composition: Carbendazim Tech. (Based on 98% w/w a.i.) : 47.220% w/w Polyethylene glycol Surfactant : Non-ionic Anionic or Blend of nonionic : 1.440% w/w & anionic (Dispersants) : 5.400% w/w Biocide Preservative : 0.360% w/w Anti Caking agent (Bentonite or gum) : 0.180% w/w Silicates (Magnesium) : 0.180% w/w Water : 45.240% w/w Trial : 100.000% w/w

ಫ್ರೆಶ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ.

ಸಿಸ್ಟಮಿಕ್ ಫಂಗಿಸಿಡ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ. SC ಒಂದು ಸಸ್ಪೆಂಡೆಡ್ ಕಾನ್ಸೆಂಟ್ರೇಟ್ ಆಗಿದ್ದು, ಗ್ರೇಪ್ ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

ಗ್ರೇಪ್ ಪುಡಿಮೆಣಸು ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

Table with 4 columns: Recommendation, Common Name of Diseases, Dosages per hectare, Waiting Period

Grape Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Mango Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Direction of Use : Limitation :

Do not use in those situations where there is a possibility of harming fish and livestock. Do not contaminate lakes and ponds. Plant Protection Equipment: Knapsack sprayers fitted with flat fan nozzle is recommended.

Precaution:

1. Avoid halation and skin contact while delidding because of splashes or splashes. Do not mix with bare hands. 2. The users should use full protective clothing, which includes rubber gloves, boots, either face shield or dust mask and overall or rubber apron hood or hat.

First Aid : In case of suspected poisonings, call for a physician immediately. Induce vomiting, by tickling the back of throat. Repeat the operation inwardly vomit fluid is clear.

Antidote : There is no specific antidote. Give symptomatic treatment. Disposal of used container : 1. Do not leave used containers outside to prevent the re-use. 2. Destroy used containers and bury them away from habitation where there is not underground water course.

Storage Conditions : 1. The packages containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The rooms or premises meant for storing the fungicides shall be lit, well built, dry cool ventilated and of sufficient dimensions to avoid contamination with vapour.

- Chemical Composition: Carbendazim Tech. (Based on 98% w/w a.i.) : 47.220% w/w Polyethylene glycol Surfactant : Non-ionic Anionic or Blend of nonionic : 1.440% w/w & anionic (Dispersants) : 5.400% w/w Biocide Preservative : 0.360% w/w Anti Caking agent (Bentonite or gum) : 0.180% w/w Silicates (Magnesium) : 0.180% w/w Water : 45.240% w/w Trial : 100.000% w/w

ಫ್ರೆಶ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ.

ಸಿಸ್ಟಮಿಕ್ ಫಂಗಿಸಿಡ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ. SC ಒಂದು ಸಸ್ಪೆಂಡೆಡ್ ಕಾನ್ಸೆಂಟ್ರೇಟ್ ಆಗಿದ್ದು, ಗ್ರೇಪ್ ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

ಗ್ರೇಪ್ ಪುಡಿಮೆಣಸು ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

Table with 4 columns: Recommendation, Common Name of Diseases, Dosages per hectare, Waiting Period

Grape Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Mango Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Direction of Use : Limitation :

Do not use in those situations where there is a possibility of harming fish and livestock. Do not contaminate lakes and ponds. Plant Protection Equipment: Knapsack sprayers fitted with flat fan nozzle is recommended.

Precaution:

1. Avoid halation and skin contact while delidding because of splashes or splashes. Do not mix with bare hands. 2. The users should use full protective clothing, which includes rubber gloves, boots, either face shield or dust mask and overall or rubber apron hood or hat.

First Aid : In case of suspected poisonings, call for a physician immediately. Induce vomiting, by tickling the back of throat. Repeat the operation inwardly vomit fluid is clear.

Antidote : There is no specific antidote. Give symptomatic treatment. Disposal of used container : 1. Do not leave used containers outside to prevent the re-use. 2. Destroy used containers and bury them away from habitation where there is not underground water course.

Storage Conditions : 1. The packages containing the fungicides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the fungicide. 2. The rooms or premises meant for storing the fungicides shall be lit, well built, dry cool ventilated and of sufficient dimensions to avoid contamination with vapour.

- Chemical Composition: Carbendazim Tech. (Based on 98% w/w a.i.) : 47.220% w/w Polyethylene glycol Surfactant : Non-ionic Anionic or Blend of nonionic : 1.440% w/w & anionic (Dispersants) : 5.400% w/w Biocide Preservative : 0.360% w/w Anti Caking agent (Bentonite or gum) : 0.180% w/w Silicates (Magnesium) : 0.180% w/w Water : 45.240% w/w Trial : 100.000% w/w

AGASTYA

FRESH

Systemic Fungicide

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet"

Carbendazim 46.27% SC

AGASTYA

ಫ್ರೆಶ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ.

ಸಿಸ್ಟಮಿಕ್ ಫಂಗಿಸಿಡ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ. SC ಒಂದು ಸಸ್ಪೆಂಡೆಡ್ ಕಾನ್ಸೆಂಟ್ರೇಟ್ ಆಗಿದ್ದು, ಗ್ರೇಪ್ ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

ಗ್ರೇಪ್ ಪುಡಿಮೆಣಸು ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

Table with 4 columns: Recommendation, Common Name of Diseases, Dosages per hectare, Waiting Period

Grape Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Mango Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Direction of Use : Limitation :

Do not use in those situations where there is a possibility of harming fish and livestock. Do not contaminate lakes and ponds. Plant Protection Equipment: Knapsack sprayers fitted with flat fan nozzle is recommended.

Precaution:

1. Avoid halation and skin contact while delidding because of splashes or splashes. Do not mix with bare hands. 2. The users should use full protective clothing, which includes rubber gloves, boots, either face shield or dust mask and overall or rubber apron hood or hat.

First Aid : In case of suspected poisonings, call for a physician immediately. Induce vomiting, by tickling the back of throat. Repeat the operation inwardly vomit fluid is clear.

Antidote : There is no specific antidote. Give symptomatic treatment. Disposal of used container : 1. Do not leave used containers outside to prevent the re-use. 2. Destroy used containers and bury them away from habitation where there is not underground water course.

- Chemical Composition: Carbendazim Tech. (Based on 98% w/w a.i.) : 47.220% w/w Polyethylene glycol Surfactant : Non-ionic Anionic or Blend of nonionic : 1.440% w/w & anionic (Dispersants) : 5.400% w/w Biocide Preservative : 0.360% w/w Anti Caking agent (Bentonite or gum) : 0.180% w/w Silicates (Magnesium) : 0.180% w/w Water : 45.240% w/w Trial : 100.000% w/w

AGASTYA

FRESH

Systemic Fungicide

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet"

Carbendazim 46.27% SC

AGASTYA

ಫ್ರೆಶ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ.

ಸಿಸ್ಟಮಿಕ್ ಫಂಗಿಸಿಡ್

ಕಾರ್ಬೆಂಡಾಜಿಮ್ 46.27% ಎಸ್.ಸಿ. SC ಒಂದು ಸಸ್ಪೆಂಡೆಡ್ ಕಾನ್ಸೆಂಟ್ರೇಟ್ ಆಗಿದ್ದು, ಗ್ರೇಪ್ ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

ಗ್ರೇಪ್ ಪುಡಿಮೆಣಸು ಮತ್ತು ಮೆಂಗೂಲಿನಲ್ಲಿ ಕಾಂಟ್ರೋಲ್ ಮಾಡಲು ಬಳಸಲಾಗುತ್ತದೆ.

Table with 4 columns: Recommendation, Common Name of Diseases, Dosages per hectare, Waiting Period

Grape Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Mango Powdery mildew 0.046% or 0.1% or 46g/100L or 100ml/100L required

Direction of Use : Limitation :

Do not use in those situations where there is a possibility of harming fish and livestock. Do not contaminate lakes and ponds. Plant Protection Equipment: Knapsack sprayers fitted with flat fan nozzle is recommended.

Precaution:

1. Avoid halation and skin contact while delidding because of splashes or splashes. Do not mix with bare hands. 2. The users should use full protective clothing, which includes rubber gloves, boots, either face shield or dust mask and overall or rubber apron hood or hat.

First Aid : In case of suspected poisonings, call for a physician immediately. Induce vomiting, by tickling the back of throat. Repeat the operation inwardly vomit fluid is clear.

Antidote : There is no specific antidote. Give symptomatic treatment. Disposal of used container : 1. Do not leave used containers outside to prevent the re-use. 2. Destroy used containers and bury them away from habitation where there is not underground water course.

- Chemical Composition: Carbendazim Tech. (Based on 98% w/w a.i.) : 47.220% w/w Polyethylene glycol Surfactant : Non-ionic Anionic or Blend of nonionic : 1.440% w/w & anionic (Dispersants) : 5.400% w/w Biocide Preservative : 0.360% w/w Anti Caking agent (Bentonite or gum) : 0.180% w/w Silicates (Magnesium) : 0.180% w/w Water : 45.240% w/w Trial : 100.000% w/w

Manufactured by: AGASTYA AGRO LIMITED. UNIFRI : SUVERY No. 47, Muthanahally-501 401. Medical Dist., Bengaluru State. Mfg No: 0221S-MML2017 (04/Lic. no:22019897-38). UNIFRI : H.N.: 205, St. No. 94/1 & 95, Toppanpalle (V), Channarayana (M), Yeshwanthpur, Bengaluru Dist. 560 752, T.S. Mfg. Lic. No.: 0221S-MML2016. An ISO Certified Company. Customer Care Manager No.: 040-64578989. E-mail: agastyagro@yahoo.com. Regd.No.: CIR-59/703/2008-Carbendazim (SC)/2861-1259

