

AALPRID

Acetamiprid 20% S.P. Insecticide

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

It is a soluble powder containing Acetamiprid ingredient 20% w/w and balance other relevant ingredients. It is used to control Aphids, Jassids and whiteflies of cotton crops.

Recommendations:

Crop	Common name of pests	Dosage/Ha.	Wetting Period	In water	Formula- (gm.)	Dilution	between Spray to last Harvest (Days)
Cotton	Jassid	10	50	500-600	15		
	Aphid	10	50	500-600	15		
	White flies	20	100	500-600	15		

Equipments used in application: Knapsack sprayer, Foot sprayer.

Signs and symptoms of poisoning : Nausea, headache, lacrimation, tremors & convulsions.

First aid measures: 1. Wash contaminated skin and cloths with soap and clean water.. Remove patient to avoid further exposure. 2. In case of eye contamination, wash with clean water thoroughly.

Drug Therapy: Treat symptomatically.

Precautions: Avoid inhalation and skin contact while dilution because of spillage and splashes. Do not mix with bare hands. Do not eat, drink, chew or smoke during application. Wash contaminated skin and cloths after use. Destroy empty condemners after use.

Laminations and Cautions for use: Do not use in those situations if there is possibility of harming bees and fish, livestock, game wild birds and animals.

Storage : 1. The packages containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions, to avoid contamination with vapour.

Disposal of used packages, surplus materials & washing : 1. The packages shall be broken and buried away from habitation. 2. The used package shall not be left outside to prevent their re-use. 3. It shall be the duty of manufacturers formulations of insecticide operators to dispose packages or surplus materials and washing from the machines and containers shall be disposed off in a safe manner. So as to prevent environment or water pollution.

Chemical Composition:

Acetamiprid a.i.	: 20.00% w/w
Blend of sodium dodecyl benzene sulfonate, sodium sulfate & sodium alkylate	: 4.50% w/w
Sodium citrate, Dihydrate	: 30.00% w/w
Calcium hydrogen phosphate dihydrate	: 0.10% w/w
Colouring agent (Brilliant Blue)	: 0.05% w/w
Lactose monohydrate	: Q.S.
Total	: 100.00% w/w

ఆల్ప్రిడ్

Acetamiprid 20% S.P. Insecticide

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

It is a soluble powder containing Acetamiprid ingredient 20% w/w and balance other relevant ingredients. It is used to control Aphids, Jassids and whiteflies of cotton crops.

Recommendations:

Crop	Common name of pests	Dosage/Ha.	Wetting Period	In water	Formula- (gm.)	Dilution	between Spray to last Harvest (Days)
Cotton	Jassid	10	50	500-600	15		
	Aphid	10	50	500-600	15		
	White flies	20	100	500-600	15		

Equipments used in application: Knapsack sprayer, Foot sprayer.

Signs and symptoms of poisoning : Nausea, headache, lacrimation, tremors & convulsions.

First aid measures: 1. Wash contaminated skin and cloths with soap and clean water.. Remove patient to avoid further exposure. 2. In case of eye contamination, wash with clean water thoroughly.

Drug Therapy: Treat symptomatically.

Precautions: Avoid inhalation and skin contact while dilution because of spillage and splashes. Do not mix with bare hands. Do not eat, drink, chew or smoke during application. Wash contaminated skin and cloths after use. Destroy empty condemners after use.

Laminations and Cautions for use: Do not use in those situations if there is possibility of harming bees and fish, livestock, game wild birds and animals.

Storage : 1. The packages containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions, to avoid contamination with vapour.

Disposal of used packages, surplus materials & washing : 1. The packages shall be broken and buried away from habitation. 2. The used package shall not be left outside to prevent their re-use. 3. It shall be the duty of manufacturers formulations of insecticide operators to dispose packages or surplus materials and washing from the machines and containers shall be disposed off in a safe manner. So as to prevent environment or water pollution.

Chemical Composition:

Acetamiprid a.i.	: 20.00% w/w
Blend of sodium dodecyl benzene sulfonate, sodium sulfate & sodium alkylate	: 4.50% w/w
Sodium citrate, Dihydrate	: 30.00% w/w
Calcium hydrogen phosphate dihydrate	: 0.10% w/w
Colouring agent (Brilliant Blue)	: 0.05% w/w
Lactose monohydrate	: Q.S.
Total	: 100.00% w/w

measured

ఆలపిడ్

ఎసిటమాప్రిడ్ 20% ఎస్.పి. కీటకనాశని

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

It is a soluble powder containing Acetamiprid ingredient 20% w/w and balance other relevant ingredients. It is used to control Aphids, Jassids and whiteflies of cotton crops.

Recommendations:

Crop	Common name of pests	Dosage/Ha.	Wetting Period	In water	Formula- (gm.)	Dilution	between Spray to last Harvest (Days)
Cotton	Jassid	10	50	500-600	15		
	Aphid	10	50	500-600	15		
	White flies	20	100	500-600	15		

Equipments used in application: Knapsack sprayer, Foot sprayer.

Signs and symptoms of poisoning : Nausea, headache, lacrimation, tremors & convulsions.

First aid measures: 1. Wash contaminated skin and cloths with soap and clean water.. Remove patient to avoid further exposure. 2. In case of eye contamination, wash with clean water thoroughly.

Drug Therapy: Treat symptomatically.

Precautions: Avoid inhalation and skin contact while dilution because of spillage and splashes. Do not mix with bare hands. Do not eat, drink, chew or smoke during application. Wash contaminated skin and cloths after use. Destroy empty condemners after use.

Laminations and Cautions for use: Do not use in those situations if there is possibility of harming bees and fish, livestock, game wild birds and animals.

Storage : 1. The packages containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions, to avoid contamination with vapour.

Disposal of used packages, surplus materials & washing : 1. The packages shall be broken and buried away from habitation. 2. The used package shall not be left outside to prevent their re-use. 3. It shall be the duty of manufacturers formulations of insecticide operators to dispose packages or surplus materials and washing from the machines and containers shall be disposed off in a safe manner. So as to prevent environment or water pollution.

Chemical Composition:

Acetamiprid a.i.	: 20.00% w/w
Blend of sodium dodecyl benzene sulfonate, sodium sulfate & sodium alkylate	: 4.50% w/w
Sodium citrate, Dihydrate	: 30.00% w/w
Calcium hydrogen phosphate dihydrate	: 0.10% w/w
Colouring agent (Brilliant Blue)	: 0.05% w/w
Lactose monohydrate	: Q.S.
Total	: 100.00% w/w

measured

ఆలపిడ్

ఎసిటమాప్రిడ్ 20% ఎస్.పి. కీటకనాశక

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".

It is a soluble powder containing Acetamiprid ingredient 20% w/w and balance other relevant ingredients. It is used to control Aphids, Jassids and whiteflies of cotton crops.

Recommendations:

Crop	Common name of pests	Dosage/Ha.	Wetting Period	In water	Formula- (gm.)	Dilution	between Spray to last Harvest (Days)
Cotton	Jassid	10	50	500-600	15		
	Aphid	10	50	500-600	15		
	White flies	20	100	500-600	15		

Equipments used in application: Knapsack sprayer, Foot sprayer.

Signs and symptoms of poisoning : Nausea, headache, lacrimation, tremors & convulsions.

First aid measures: 1. Wash contaminated skin and cloths with soap and clean water.. Remove patient to avoid further exposure. 2. In case of eye contamination, wash with clean water thoroughly.

Drug Therapy: Treat symptomatically.

Precautions: Avoid inhalation and skin contact while dilution because of spillage and splashes. Do not mix with bare hands. Do not eat, drink, chew or smoke during application. Wash contaminated skin and cloths after use. Destroy empty condemners after use.

Laminations and Cautions for use: Do not use in those situations if there is possibility of harming bees and fish, livestock, game wild birds and animals.

Storage : 1. The packages containing the insecticide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the insecticide. 2. The rooms or premises meant for storing the insecticide shall be well built, dry, well-lit, ventilated and of sufficient dimensions, to avoid contamination with vapour.

Disposal of used packages, surplus materials & washing : 1. The packages shall be broken and buried away from habitation. 2. The used package shall not be left outside to prevent their re-use. 3. It shall be the duty of manufacturers formulations of insecticide operators to dispose packages or surplus materials and washing from the machines and containers shall be disposed off in a safe manner. So as to prevent environment or water pollution.

Chemical Composition:

Acetamiprid a.i.	: 20.00% w/w
Blend of sodium dodecyl benzene sulfonate, sodium sulfate & sodium alkylate	: 4.50% w/w
Sodium citrate, Dihydrate	: 30.00% w/w
Calcium hydrogen phosphate dihydrate	: 0.10% w/w
Colouring agent (Brilliant Blue)	: 0.05% w/w
Lactose monohydrate	: Q.S.
Total	: 100.00% w/w

measured

ఆలపిడ్